## Pericardial repair today improving reoperation tomorrow

Greater than **50,000** resternotomies are performed in the U.S. each year.<sup>1</sup>

Repair with GORE® PRECLUDE® Pericardial Membrane to minimize tissue attachment following **surgical valve** procedures.

Minimize membrane tissue attachment to help:				
REDUCE	REDUCE	SIMPLIFY		
RE-OP RISK	RE-OP TIME	RE-OP		
related to cardiac injury	vs. not using a	by creating a clear plane		
and bleeding <sup>2, 3</sup>	pericardial substitute <sup>4</sup>	of dissection <sup>2, 3</sup>		

## Selected literature conclusion

GORE® PRECLUDE® Pericardial Membrane is safe and effective in helping to prevent cardiac injury during resternotomy.<sup>2</sup>



Morales D, Williams E, John R. Is resternotomy in cardiac surgery still a problem? *Interactive Cardiovascular & Thoracic Surgery* 2010;11(3):277-286

Jacobs JP, Iyer RS, Weston JS, et al. Expanded PTFE membrane to prevent cardiac injury during resternotomy for congenital heart disease. Annals of Thoracic Surgery 1996;62(6):1778-1782.

<sup>3.</sup> Minale C, Nikol S, Hollweg G, Mittermayer C, Messmer BJ. Clinical experience with expanded polytetrafluoroethylene Gore-Tex surgical membrane for pericardial closure: a study of 110 cases. *Journal of Cardiac Surgery* 1988;3(3):193-201.

Bezon E, Maguid YA, Gueret G, Choplain JN, Aziz AA, Barra JA. Wrapping of the left internal thoracic artery with an expanded polytetrafluoroethylene membrane. *Annals of Thoracic Surgery* 2006;8(1):383-385.

Catalogue number	Nominal thickness (mm)	Nominal width (cm)	Nominal length (cm)
1PCM100	0.1	6	12
1PCM102	0.1	12	12
1PCM103	0.1	15	20

Order from your Gore Field Sales Associate or via:

U.S. toll free: 800 528 8763

Direct: 928 864 2927

mpdcustomercare@wlgore.com



W. L. GORE & ASSOCIATES, INC.

Flagstaff, AZ 86004

+65 67332882 (Asia Pacific) 1800 680 424 (Australia/New Zealand) 00800 6334 4673 (Europe) 800 437 8181 (United States) 928 779 2771 (United States)

goremedical.com



**INDICATIONS FOR USE:** Reconstruction or repair of the pericardium. **CONTRAINDICATIONS:** Not for reconstruction of CARDIOVASCULAR DEFECTS such as cardiac, great vessel and peripheral vascular, DURA MATER, HERNIAS. Use of this product in applications other than those indicated has the potential for serious complications, such as suture pullout or failure of the repair (aneurysm formation). Refer to *Instructions for Use* at eifu.goremedical.com for a complete description of all applicable indications, warnings, precautions and contraindications for the markets where this product is available.  $\frac{R}{N}$  only

Products listed may not be available in all markets.

GORE, PRECLUDE and designs are trademarks of W. L. Gore & Associates. © 2017, 2018, 2020 W. L. Gore & Associates, Inc. AW1535-EN5 JULY 2020